



# VESTED<sup>™</sup> METALS

**DOES NOT INCLUDE INCOMING STOCK.  
FOR QUOTES AND OTHER MATERIAL AVAILABILITY  
OUTSIDE OF PROMOTIONAL OFFERINGS,  
PLEASE CONTACT YOUR SALES REPRESENTATIVE  
MATERIAL IS SUBJECT TO PRIOR SALE.**

Item ID	Item Description	Length	Tolerance	LBS	LBS in Stock
OR0102165	Cobalt RD BAR CCM 1 0.2165	168	(+/-0.0003)	21	21
OR0115000	COBALT RD BAR CCM 1 1.5	48	None Listed	284	9
OR0116250	Cobalt RD BAR CCM 1 1.625	38		566	6
OR0116250	Cobalt RD BAR CCM 1 1.625	120		68	45
OR0120000	COBALT RD BAR CCM 1 2	48	(+/-0.003)	45	45
SF170500015000	SS FLAT 316LVM 0.5X1.5	168	+/- .004	864	11
SF170500020000	SS Flat 316LVM 0.5x2	168	T(+/-0.004) W(+/-0.004)	957	957
SF170750020000	SS Flat 316LVM 0.75x2	168	T(+/-0.004) W(+/-0.004)	529	529
SR0301875	SS RD BAR 303 0.1875	168	(+/-0.0002)	987	987
SR0301875	SS RD BAR 303 0.1875	168	(+/-0.0002)	625	625
SR0303125	SS RD BAR 303 0.3125	168	(+/-0.0002)	164	164
SR1000720	SS RD BAR 17-4 0.072	168	(+/-0.0005)	423	423
SR1002550	SS RD BAR 17-4 0.255	168	(+0/-0.0007)	16	16
SR1003125	SS RD BAR 17-4 0.3125	168	(+/-0.0005)	14	14
SR1003125	SS RD BAR 17-4 0.3125	168	(+/-0.0007)	6	6
SR1003750	SS Rd Bar 17-4 0.375	168	(+/-0.0002)	63	63
SR1003750	SS Rd Bar 17-4 0.375	168	(+/-0.0005)	2,521	2,207
SR1005000	SS Rd Bar 17-4 0.5	168	(+/-0.0002)	852	852
SR1005000	SS Rd Bar 17-4 0.5	168	(+/-0.0005)	358	358
SR1005000	SS Rd Bar 17-4 0.5	168	(+/-0.002)	736	736
SR1005625	SS Rd Bar 17-4 0.5625	168	(+/-0.00085)	1,554	1,503
SR1006250	SS RD BAR 17-4 0.625	168	(+/-0.0005)	282	282
SR1006250	SS RD BAR 17-4 0.625	168	(+/-0.00085)	419	419
SR1006250	SS RD BAR 17-4 0.625	168	(+/-0.005)	996	996
SR1007500	SS Rd Bar 17-4 0.75	144	(+/-0.0005)	1,100	1,100
SR1007500	SS Rd Bar 17-4 0.75	168	(+/-0.00102)	1,789	1,789
SR1008750	SS RD BAR 17-4 0.875	168	(+/-0.0005)	415	415
SR1008750	SS RD BAR 17-4 0.875	168	+0/-0.002	154	154
SR1010000	SS RD BAR 17-4 1	168	(+/-0.00102)	1,931	1,931
SR1011250	SS RD BAR 17-4 1.125	168	(+/-0.0017)	2,019	2,019
SR1011250	SS RD BAR 17-4 1.125	168	(+/-0.002)	672	672
SR1012500	SS RD BAR 17-4 1.25	168	(+/-0.002)	354	354
SR1013750	SS RD BAR 17-4 1.375	125	(+/-0.0025)	317	317
SR1013750	SS RD BAR 17-4 1.375	168	(+/-0.0025)	60	60
SR1015000	SS RD BAR 17-4 1.5	168	(+/-0.002)	601	601
SR1017500	SS Rd Bar 17-4 1.75	168	(+/-0.003)	1,818	1,273
SR1018750	SS RD BAR 17-4 1.875	72	(+/-0.003)	110	110
SR1100720	SS RD BAR 17-4 H900 0.072	168	(+/-0.0005)	33	33
SR1101182	SS RD BAR 17-4 H900 0.1182	168	(+/-0.0001)	855	855
SR1101215	SS RD BAR 17-4 H900 0.1215	168	(+/-0.0005)	55	55

SR1101875	SS RD BAR 17-4 H900 0.1875	168 (+/-0.0005)	2,437	29
SR1102500	SS Rd Bar 17-4 H900 0.25	168 (+/-0.0005)	77	6
SR1103125	SS Rd Bar 17-4 H900 0.3125	168 (+/-0.0005)	10	10
SR1105000	SS Rd Bar 17-4 H900 0.5	72 +/-0.0002	32	32
SR1105000	SS Rd Bar 17-4 H900 0.5	168 (+/-0.0005)	2,151	1,155
SR1105000	SS Rd Bar 17-4 H900 0.5	168 +/-0.0002	2,064	2,064
SR1107500	SS RD BAR 17-4 H900 0.75	168 (+/-0.0005)	1,031	1,031
SR1107500	SS RD BAR 17-4 H900 0.75	168 (+/-0.00102)	173	173
SR1110000	SS RD BAR 17-4 H900 1	84 (+/-0.002)	1,612	1,612
SR1110000	SS RD BAR 17-4 H900 1	168 (+/-0.0006)	31	31
SR1306250	SS RD BAR 13-8 0.625	153 (+0/-0.0007)	17	17
SR1700433	SS RD BAR 316LVM 0.0433	59 (+0.0005/-0.0002)	8	8
SR1700510	SS RD BAR 316LVM 0.051	74 (+0.00050/-0.00010)	10	10
SR1700560	SS RD BAR 316LVM 0.056	60 (+0.0002/-0.00002)	6	6
SR1700590	SS RD BAR 316LVM 0.059	72 (+/-0.0005)	62	62
SR1700630	SS RD BAR 316LVM 0.063	120 (+0/-0.0004)	421	421
SR1700670	SS RD BAR 316LVM 0.067	120 (+/-0.0005)	1,178	1,178
SR1701875	SS Rd Bar 316LVM 0.1875	168 (+/-0.0002)	425	425
SR1702362	SS RD BAR 316LVM 0.2362	168 (+/-0.0005)	26	26
SR1702500	SS Rd Bar 316LVM 0.25	168 (+/-0.0002)	3,816	3,414
SR1703125	SS RD BAR 316LVM 0.3125	168 (+/-0.0002)	1,957	1,957
SR1703750	SS RD BAR 316LVM 0.375	168 (+/-0.0002)	2,167	2,167
SR1705000	SS RD BAR 316LVM 0.5	168 (+/-0.0002)	64	64
SR1705000	SS RD BAR 316LVM 0.5	168 (+/-0.0025)	36	36
SR1706250	SS RD BAR 316LVM 0.625	168 (+/-0.0002)	916	916
SR1707500	SS RD BAR 316LVM 0.75	168 (+/-0.0005)	868	868
SR1801250	SS RD BAR 455 0.125	168 (+/-0.0002)	144	144
SR1801875	SS Rd Bar 455 0.1875	168 (+/-0.0002)	545	545
SR1801875	SS Rd Bar 455 0.1875	168 +/-0.0005	14	14
SR1803125	SS RD BAR 455 0.3125	144 (+/-0.0002)	108	107
SR1803750	SS RD BAR 455 0.375	168 (+/-0.0002)	3	3
SR1803750	SS RD BAR 455 0.375	168 +/-0.0005	36	36
SR1808750	SS RD BAR 455 0.875	144 (+/-0.0005)	533	533
SR1810000	SS RD BAR 455 1	96 (+/-0.0006)	20	20
SR1812500	SS RD BAR 455 1.25	168 (+/-0.0006)	134	134
SR1905000	SS RD BAR 465 0.5	168 (+/-0.0005)	86	30
SR1905000	SS RD BAR C465 0.5	168 (+/-0.0005)	984	865
SR1906250	SS RD BAR 465 0.625	168 (+/-0.0005)	732	732
SR1906250	SS RD BAR C465 0.625	168 (+/-0.0005)	1,223	1,223
SR1910000	SS RD BAR 465 1	101 (+/-0.0006)	23	23
SR1910000	SS RD BAR 465 1	168 (+0.005/-0)	1,256	1,256
SR1912500	SS RD BAR C465 1.25	168 (+/-0.0006)	243	243
SR2203750	SS RD BAR 440 A 0.375	168 (+/-0.0003)	1,185	1,185
SR2601875	SS RD BAR 431 0.1875	120 (+/-0.0005)	555	555
SR2602500	SS RD BAR 431 0.25	168 (+/-0.0005)	563	563
SR2901875	SS RD BAR 420 MOD 0.1875	144 (+/-0.0005)	845	845
SR2901875	SS RD BAR 420 MOD 0.1875	168 (+/-0.0003)	225	223
SR2902500	SS RD BAR 420 Mod 0.25	144 (+/-0.0003)	73	24
SR2902500	SS RD BAR 420 Mod 0.25	144 (+/-0.0005)	640	640

SR2903750	SS RD BAR 420 Mod 0.375	144 (+/-0.0005)	321	233
SR2905000	SS RD BAR 420 Mod 0.5	144 (+/-0.0005)	320	320
SR3103750	SS RD BAR 17-4 Proj 70+ 0.375	99999 (+/-0.0004)	932	932
SR3103750	SS RD BAR 17-4 Proj 70+ 0.375	99999 (+/-0.0005)	2,402	2,402
SR3105000	SS RD BAR 17-4 Proj 70+ 0.5	168 (+/-0.0005)	7,700	5
SR3106250	SS RD BAR 17-4 Proj 70+ 0.625	168 (+/-0.0005)	1,779	29
SR3107500	SS RD BAR 17-4 Proj 70+ 0.75	168 (+/-0.0005)	5,337	172
SR3110000	SS RD BAR 17-4 Proj 70+ 1	168 (+/-0.0025)	1,747	1,747
SR3115000	SS RD BAR 17-4 Proj 70+ 1.5	168 (+/-0.003)	865	865
SR3402500	SS RD BAR 455 H950 0.25	168 (+/-0.0002)	177	138
SR4808750	SS RD BAR 17-4 Proj 70+ H900 0.875	144 (+/-0.0005)	2,170	2,170
TF020375010000	TI FLAT 6AL-4V ELI 0.375X1	168 T(+/-0.006);W(+/-0.009)	204	204
TPO106250	TI PLATE 6AL-4V 0.625	24	62	62
TPO106250	TI PLATE 6AL-4V 0.625	25	48	48
TPO106250	TI PLATE 6AL-4V 0.625	44	177	177
TPO106250	TI PLATE 6AL-4V 0.625	80	60	60
TPO106250	TI PLATE 6AL-4V 0.625	151	867	867
TPO10625012500	TI PLATE 6AI-4V 0.625X1.25	53	14	14
TPO10625012500	TI PLATE 6AI-4V 0.625X1.25	89	12	12
TPO10625013000	TI PLATE 6AI-4V 0.625X1.3	19	21	21
TPO10625013000	TI PLATE 6AI-4V 0.625X1.3	103	14	14
TPO201875	TI PLATE 6AI-4V ELI 0.1875	95	110	110
TPO201875	TI PLATE 6AI-4V ELI 0.1875	132	102	102
TPO201875	TI PLATE 6AI-4V ELI 0.1875	144	590	590
TPO202500	Ti Plate 6Al-4V ELI 0.25	8	17	17
TPO202500	Ti Plate 6Al-4V ELI 0.25	12	26	26
TPO202500	Ti Plate 6Al-4V ELI 0.25	23	50	50
TPO202500	Ti Plate 6Al-4V ELI 0.25	53	120	120
TPO202500	Ti Plate 6Al-4V ELI 0.25	80	10	10
TPO202500	Ti Plate 6Al-4V ELI 0.25	103	36	36
TPO202500	Ti Plate 6Al-4V ELI 0.25	105	265	30
TPO202500	Ti Plate 6Al-4V ELI 0.25	107	20	20
TPO20250012500	Ti PLATE 6AI-4V ELI 0.25x1.25	107	420	420
TPO203125	TI PLATE 6AL-4V ELI 0.3125	160	1,670	1,252
TPO203750	TI PLATE 6AL-4V ELI 0.375	48	52	52
TPO203750	TI PLATE 6AL-4V ELI 0.375	82	403	403
TPO203750	TI PLATE 6AL-4V ELI 0.375	95	14	14
TPO203750	TI PLATE 6AL-4V ELI 0.375	96	69	69
TPO203750	TI PLATE 6AL-4V ELI 0.375	160	5,003	5,003
TPO20375010000	ti PLATE 6AI-4V ELI 0.375x1	9	35	35
TPO20375010000	ti PLATE 6AI-4V ELI 0.375x1	98	6	6
TPO20375012000	TI PLATE 6AI-4V ELI 0.375X1.2	12	50	2
TPO20375012000	TI PLATE 6AI-4V ELI 0.375X1.2	49	7	7
TPO20375012500	TI PLATE 6AI-4V ELI 0.375x1.25	34	12	12
TPO20375012500	TI PLATE 6AI-4V ELI 0.375x1.25	96	16	16
TPO20375015000	Ti PLATE 6AI-4V ELI 0.375x1.5	52	132	132
TPO20375015000	Ti PLATE 6AI-4V ELI 0.375x1.5	72	30	30
TPO205000	TI PLATE 6AL-4V ELI 0.5	69	46	46
TPO205000	TI PLATE 6AL-4V ELI 0.5	80	312	312

TPO205000	TI PLATE 6AL-4V ELI 0.5	144	79	79
TPO205000	TI PLATE 6AL-4V ELI 0.5	160	1,923	1,923
TPO20500010000	Ti PLATE 6Al-4V ELI 0.5x1	80	75	75
TPO20500017400	TI PLATE 6Al-4V ELI 0.5X1.74	80	70	70
TPO20500040000	TI PLATE 6Al-4V ELI 0.5X4	59	20	20
TPO206250	TI PLATE 6AL-4V ELI 0.625	10	30	30
TPO206250	TI PLATE 6AL-4V ELI 0.625	17	46	46
TPO206250	TI PLATE 6AL-4V ELI 0.625	19	31	31
TPO206250	TI PLATE 6AL-4V ELI 0.625	23	65	65
TPO206250	TI PLATE 6AL-4V ELI 0.625	25	28	28
TPO206250	TI PLATE 6AL-4V ELI 0.625	42	214	214
TPO206250	TI PLATE 6AL-4V ELI 0.625	57	9	9
TPO206250	TI PLATE 6AL-4V ELI 0.625	71	60	60
TPO206250	TI PLATE 6AL-4V ELI 0.625	144	2,464	2,464
TPO20625010000	Ti PLATE 6Al-4V ELI 0.625x1	27	6	6
TPO20625010000	Ti PLATE 6Al-4V ELI 0.625x1	80	8	8
TPO20625013000	TI PLATE 6Al-4V ELI 0.625X1.3	39	5	5
TPO20625015000	TI PLATE 6AL-4V ELI 0.625x1.5	80	26	26
TPO20625015000	TI PLATE 6AL-4V ELI 0.625x1.5	144	23	23
TPO20625017717	TI PLATE 6AL-4V ELI 0.625x1.7717	168	710	710
TPO20625018750	TI PLATE 6Al-4V ELI 0.625X1.875	80	61	61
TPO20625027500	TI PLATE 6Al-4V ELI 0.625X2.75	80	24	24
TPO20625040000	TI PLATE 6Al-4V ELI 0.625X4	61	26	26
TPO20750012500	Ti PLATE 6Al-4V ELI 0.75x1.25	6	74	74
TPO20750012500	Ti PLATE 6Al-4V ELI 0.75x1.25	73	11	11
TPO20750012500	Ti PLATE 6Al-4V ELI 0.75x1.25	144	23	23
TPO20750015000	TI PLATE 6Al-4V ELI 0.75X1.5	74	14	14
TPO20750015000	TI PLATE 6Al-4V ELI 0.75X1.5	144	29	29
TPO20750025000	Ti PLATE 6Al-4V ELI 0.75x2.5	144	46	46
TPO210000	Ti Plate 6Al-4V ELI 1	16	128	128
TPO210000	Ti Plate 6Al-4V ELI 1	78	59	59
TPO210000	Ti Plate 6Al-4V ELI 1	80	107	107
TPO21000017500	TI PLATE 6Al-4V ELI 1x1.75	39	26	26
TPO21000017500	TI PLATE 6Al-4V ELI 1x1.75	40	24	24
TPO21000017500	TI PLATE 6Al-4V ELI 1x1.75	128	38	38
TPO212500	Ti PLATE 6Al-4V ELI 1.25	138	198	198
TPO21250015000	TI PLATE 6Al-4V ELI 1.25X1.5	45	28	28
TPO21250015000	TI PLATE 6Al-4V ELI 1.25X1.5	138	44	44
TPO402500	TI PLATE CP1 GR 4 0.25	132	45	45
TPO406250	TI PLATE CP1 Gr 4 0.625	79	67	67
TPO406250	TI PLATE CP1 Gr 4 0.625	80	801	801
TPO603750	TI PLATE CP3 GR 2 0.375	13	200	11
TPO605000	TI PLATE CP3 Gr 2 0.5	72	47	47
TPO606250	TI PLATE CP3 GR 2 0.625	119	39	39
TPO702500	Ti PLATE CP4 Gr 1 0.25	60	14	14
TPO702500	Ti PLATE CP4 Gr 1 0.25	67	20	20
TPO70250020000	TI PLATE CP4 GR 1 0.25x2	72	65	65
TPO705000	TI PLATE CP4 Gr 1 0.5	105	202	202
TR0200984	TI RD BAR 6Al-4V ELI 0.0984	117 (+/-0.0024)	44	44

TRO201181	TI RD BAR 6Al-4V ELI 0.1181	117 (+/-0.0002)	56	56
TRO201250	TI RD BAR 6Al-4V ELI 0.125	168 (+/-0.00015)	1,305	1,305
TRO201250	TI RD BAR 6Al-4V ELI 0.125	168 (+/-0.0002)	717	717
TRO201875	TI RD BAR 6Al-4V ELI 0.1875	168 (+/-0.00015)	235	235
TRO201875	TI RD BAR 6Al-4V ELI 0.1875	168 (+/-0.0005)	540	540
TRO202188	TI RD BAR 6Al-4V ELI 0.2188	168 (+/-0.0005)	317	18
TRO202188	TI RD BAR 6Al-4V ELI 0.2188	168 +/- 0.0005	272	272
TRO202500	Ti Rd Bar 6Al-4V ELI 0.25	168 (+/-0.0002)	721	294
TRO202500	Ti Rd Bar 6Al-4V ELI 0.25	168 (+/-0.0005)	303	148
TRO203125	Ti Rd Bar 6Al-4V ELI 0.3125	168 (+/-0.0002)	1,102	1,102
TRO203125	Ti Rd Bar 6Al-4V ELI 0.3125	168 (+/-0.0005)	826	826
TRO203750	Ti Rd Bar 6Al-4V ELI 0.375	168 (+/-0.0002)	133	133
TRO204375	TI RD BAR 6Al-4V ELI 0.4375	168 (+/-0.0005)	1,593	1,593
TRO204780	Ti RD BAR 6Al-4V ELI 0.478	168 (+/-0.0005)	313	313
TRO205000	Ti Rd Bar 6Al-4V ELI 0.5	168 (+/-0.0005)	1,331	1,101
TRO205625	Ti Rd Bar 6Al-4V ELI 0.5625	168 (+/-0.0005)	262	262
TRO206250	Ti Rd Bar 6Al-4V ELI 0.625	168 (+/-0.0002)	139	139
TRO206250	Ti Rd Bar 6Al-4V ELI 0.625	168 (+/-0.0005)	1,498	1,498
TRO207500	Ti Rd Bar 6Al-4V ELI 0.75	168 (+/-0.001)	772	640
TRO208750	Ti Rd Bar 6Al-4V ELI 0.875	168 (+/-0.001)	99	99
TRO210000	TI RD BAR 6Al-4V ELI 1	12 (+/-0.002)	1	1
TRO210000	TI RD BAR 6Al-4V ELI 1	168 (+/-0.002)	135	135
TRO211250	Ti Rd Bar 6Al-4V ELI 1.125	168 (+/-0.002)	138	138
TRO220000	TI RD BAR 6Al-4V ELI 2	36	373	373
TRO220000	TI RD BAR 6Al-4V ELI 2	38 (+0.008/-0)	39	39
TRO220000	TI RD BAR 6Al-4V ELI 2	40 (+0.008/-0)	524	524
TRO225000	TI RD BAR 6Al-4V ELI 2.5	156 (+0.008/-0)	1,298	1,298
TRO227500	Ti RD BAR 6Al-4V ELI 2.75	48 (+0.008/-0)	2,447	2,447
TRO605000	TI RD BAR CP3 GR 2 0.5	168	13	13
TRO606250	TI RD BAR CP3 GR 2 0.625	168 (+/-0.0005)	337	337
TRO606250	TI RD BAR CP3 GR 2 0.625	168 (+/-0.002)	89	89
TS0201250	Ti Sheet 6Al-4V ELI 0.125	79	61	61
TS0201250	Ti Sheet 6Al-4V ELI 0.125	96	431	431
TS0201250	Ti Sheet 6Al-4V ELI 0.125	96 Not Listed	45	45