



VESTEDTM METALS

**DOES NOT INCLUDE INCOMING STOCK.
FOR QUOTES AND OTHER MATERIAL AVAILABILITY
OUTSIDE OF PROMOTIONAL OFFERINGS,
PLEASE CONTACT YOUR SALES REPRESENTATIVE
MATERIAL IS SUBJECT TO PRIOR SALE.**

Item ID	Item Description	Length	Tolerance	LBS	LBS in Stock
OR0113125	Cobalt RD BAR CCM 1 1.3125	42	(+/- .0025)	237	126
OR0114960	Cobalt RD BAR CCM 1 1.496	168		507	507
OR0115000	COBALT RD BAR CCM 1 1.5	48	None Listed	174	17
OR0116250	Cobalt RD BAR CCM 1 1.625	38		428	428
OR0116250	Cobalt RD BAR CCM 1 1.625	120		68	68
OR0122500	Cobalt RD BAR CCM 1 2.25	144	(+/- .003)	1,336	1,336
SF170500015000	SS FLAT 316LVM 0.5X1.5	168	+/- .004	864	11
SF170500020000	SS Flat 316LVM 0.5x2	168	T(+/- .004) W(+/- .004)	957	957
SF170750020000	SS Flat 316LVM 0.75x2	168	T(+/- .004) W(+/- .004)	529	529
SR0301875	SS RD BAR 303 0.1875	168	(+/- .0002)	987	987
SR0301875	SS RD BAR 303 0.1875	168	(+/- .0002)	483	483
SR0303125	SS RD BAR 303 0.3125	168	(+/- .0002)	164	164
SR1003750	SS Rd Bar 17-4 0.375	168	(+/- .0005)	2,363	2,206
SR1005000	SS Rd Bar 17-4 0.5	168	(+/- .0002)	824	824
SR1005000	SS Rd Bar 17-4 0.5	168	(+/- .0005)	174	174
SR1005000	SS Rd Bar 17-4 0.5	168	(+/- .002)	736	736
SR1005625	SS Rd Bar 17-4 0.5625	168	(+/- .00085)	509	509
SR1006250	SS RD BAR 17-4 0.625	168	(+/- .0005)	282	282
SR1006250	SS RD BAR 17-4 0.625	168	(+/- .00085)	419	419
SR1006250	SS RD BAR 17-4 0.625	168	(+/- .005)	939	939
SR1007500	SS Rd Bar 17-4 0.75	144	(+/- .0005)	1,100	1,100
SR1007500	SS Rd Bar 17-4 0.75	168	(+/- .00102)	1,789	1,789
SR1008750	SS RD BAR 17-4 0.875	168	(+/- .0005)	415	415
SR1008750	SS RD BAR 17-4 0.875	168	+0/- .002	154	154
SR1010000	SS RD BAR 17-4 1	168	(+/- .00102)	1,931	1,931
SR1011250	SS RD BAR 17-4 1.125	168	(+/- .0017)	2,019	2,019
SR1011250	SS RD BAR 17-4 1.125	168	(+/- .002)	583	583
SR1012500	SS RD BAR 17-4 1.25	168	(+/- .002)	354	354
SR1013750	SS RD BAR 17-4 1.375	125	(+/- .0025)	317	317
SR1015000	SS RD BAR 17-4 1.5	168	(+/- .002)	601	601
SR1017500	SS Rd Bar 17-4 1.75	168	(+/- .003)	1,818	545
SR1100720	SS RD BAR 17-4 H900 0.072	168	(+/- .0005)	33	33
SR1101182	SS RD BAR 17-4 H900 0.1182	168	(+/- .0001)	855	855
SR1101215	SS RD BAR 17-4 H900 0.1215	168	(+/- .0005)	55	55
SR1101875	SS RD BAR 17-4 H900 0.1875	168	(+/- .0002)	2,907	2,907
SR1101875	SS RD BAR 17-4 H900 0.1875	168	(+/- .0005)	755	29
SR1105000	SS Rd Bar 17-4 H900 0.5	72	+/- .0002	32	32
SR1105000	SS Rd Bar 17-4 H900 0.5	168	(+/- .0005)	1,102	1,006
SR1105000	SS Rd Bar 17-4 H900 0.5	168	+/- .0002	2,032	2,032
SR1107500	SS RD BAR 17-4 H900 0.75	168	(+/- .0005)	471	471

SR1107500	SS RD BAR 17-4 H900 0.75	168 (+/-0.00102)	84	84
SR1110000	SS RD BAR 17-4 H900 1	84 (+/-0.002)	1,612	1,612
SR1110000	SS RD BAR 17-4 H900 1	168 (+/-0.0006)	31	31
SR1700590	SS RD BAR 316LVM 0.059	72 (+/-0.0005)	59	59
SR1700630	SS RD BAR 316LVM 0.063	120 (+0/-0.0004)	314	314
SR1700670	SS RD BAR 316LVM 0.067	120 (+/-0.0005)	1,178	1,178
SR1701875	SS Rd Bar 316LVM 0.1875	168 (+/-0.0002)	425	425
SR1701875	SS Rd Bar 316LVM 0.1875	168 (+/-0.0005)	60	60
SR1702500	SS Rd Bar 316LVM 0.25	168 (+/-0.0002)	3,575	3,415
SR1703125	SS RD BAR 316LVM 0.3125	168 (+/-0.0002)	1,957	1,957
SR1703750	SS RD BAR 316LVM 0.375	168 (+/-0.0002)	2,173	2,173
SR1705000	SS RD BAR 316LVM 0.5	168 (+/-0.0025)	36	36
SR1706250	SS RD BAR 316LVM 0.625	168 (+/-0.0002)	916	916
SR1707500	SS RD BAR 316LVM 0.75	168 (+/-0.0005)	868	868
SR1710000	SS RD BAR 316LVM 1	168 (+0/-0.001)	4	4
SR1801250	SS RD BAR 455 0.125	168 (+/-0.0002)	144	144
SR1801875	SS Rd Bar 455 0.1875	168 (+/-0.0002)	523	523
SR1812500	SS RD BAR 455 1.25	168 (+/-0.0006)	134	134
SR1905000	SS RD BAR C465 0.5	168 (+/-0.0005)	792	792
SR1906250	SS RD BAR 465 0.625	168 (+/-0.0005)	732	732
SR1906250	SS RD BAR C465 0.625	168 (+/-0.0005)	1,223	1,186
SR1910000	SS RD BAR 465 1	168 (+0.005/-0)	1,256	1,256
SR1912500	SS RD BAR C465 1.25	168 (+/-0.0006)	195	195
SR2203750	SS RD BAR 440 A 0.375	168 (+/-0.0003)	1,185	1,185
SR2601875	SS RD BAR 431 0.1875	120 (+/-0.0005)	555	555
SR2602500	SS RD BAR 431 0.25	168 (+/-0.0005)	470	470
SR2901875	SS RD BAR 420 MOD 0.1875	144 (+/-0.0005)	845	845
SR2901875	SS RD BAR 420 MOD 0.1875	168 (+/-0.0003)	216	216
SR2902500	SS RD BAR 420 Mod 0.25	144 (+/-0.0003)	24	24
SR2902500	SS RD BAR 420 Mod 0.25	144 (+/-0.0005)	307	248
SR2903750	SS RD BAR 420 Mod 0.375	144 (+/-0.0005)	188	144
SR2905000	SS RD BAR 420 Mod 0.5	144 (+/-0.0005)	239	239
SR3103750	SS RD BAR 17-4 Proj 70+ 0.375	99999 (+/-0.0004)	929	929
SR3103750	SS RD BAR 17-4 Proj 70+ 0.375	99999 (+/-0.0005)	2,402	2,402
SR3106250	SS RD BAR 17-4 Proj 70+ 0.625	168 (+/-0.0005)	788	788
SR3108750	SS RD BAR 17-4 Proj 70+ 0.875	168 (+/-0.0005)	3,893	767
SR3110000	SS RD BAR 17-4 Proj 70+ 1	168 (+/-0.0025)	1,747	1,747
SR3115000	SS RD BAR 17-4 Proj 70+ 1.5	168 (+/-0.003)	865	865
SR3402500	SS RD BAR 455 H950 0.25	168 (+/-0.0002)	40	1
SR4808750	SS RD BAR 17-4 Proj 70+ H900 0.875	144 (+/-0.0005)	2,096	2,096
TF020250010000	TI FLAT 6AL-4V ELI 0.25X1	144 (+/-0.010)(+/-0.010)	247	5
TF020375010000	TI FLAT 6AL-4V ELI 0.375X1	168 T(+/-0.006);W(+/-0.009)	204	204
TP0106250	TI PLATE 6AL-4V 0.625	151	505	505
TP0201875	TI PLATE 6Al-4V ELI 0.1875	95	110	110
TP0201875	TI PLATE 6Al-4V ELI 0.1875	132	102	102
TP0201875	TI PLATE 6Al-4V ELI 0.1875	144	572	572
TP020187513000	TI PLATE 6AL-4V ELI 0.1875x1.3	80	248	248
TP0202500	Ti Plate 6Al-4V ELI 0.25	12	26	26
TP0202500	Ti Plate 6Al-4V ELI 0.25	53	120	120

TPO202500	Ti Plate 6Al-4V ELI 0.25	103	36	36
TPO202500	Ti Plate 6Al-4V ELI 0.25	107	20	20
TPO20250007500	TI PLATE 6AL-4V ELI 0.25 X 0.75	105	23	23
TPO20250013000	TI PLATE 6AL-4V ELI 0.25x1.3	102	220	220
TPO203125	TI PLATE 6AL-4V ELI 0.3125	79	92	92
TPO203125	TI PLATE 6AL-4V ELI 0.3125	160	1,252	1,252
TPO20312505900	TI PLATE 6Al-4V ELI 0.3125 x 0.59	80	194	194
TPO20312533465	TI PLATE 6Al-4V ELI 0.3125X3.3465	80	132	132
TPO203750	TI PLATE 6AL-4V ELI 0.375	26	78	78
TPO203750	TI PLATE 6AL-4V ELI 0.375	48	52	52
TPO203750	TI PLATE 6AL-4V ELI 0.375	82	361	361
TPO203750	TI PLATE 6AL-4V ELI 0.375	160	4,515	2,447
TPO20375010000	ti PLATE 6Al-4V ELI 0.375x1	9	35	35
TPO20375012000	TI PLATE 6Al-4V ELI 0.375X1.2	49	7	7
TPO20375015000	Ti PLATE 6Al-4V ELI 0.375x1.5	72	30	30
TPO205000	TI PLATE 6AL-4V ELI 0.5	2	18	18
TPO205000	TI PLATE 6AL-4V ELI 0.5	66	367	367
TPO205000	TI PLATE 6AL-4V ELI 0.5	113	450	450
TPO205000	TI PLATE 6AL-4V ELI 0.5	160	641	641
TPO20500010000	Ti PLATE 6Al-4V ELI 0.5x1	80	75	75
TPO206250	TI PLATE 6AL-4V ELI 0.625	23	65	65
TPO206250	TI PLATE 6AL-4V ELI 0.625	24	62	62
TPO206250	TI PLATE 6AL-4V ELI 0.625	71	96	96
TPO206250	TI PLATE 6AL-4V ELI 0.625	94	295	295
TPO206250	TI PLATE 6AL-4V ELI 0.625	138	180	180
TPO20625010000	Ti PLATE 6Al-4V ELI 0.625x1	27	6	6
TPO20625010000	Ti PLATE 6Al-4V ELI 0.625x1	80	8	8
TPO20625040000	TI PLATE 6Al-4V ELI 0.625X4	61	26	26
TPO20750012500	Ti PLATE 6Al-4V ELI 0.75x1.25	6	74	74
TPO20750012500	Ti PLATE 6Al-4V ELI 0.75x1.25	144	23	23
TPO20750015000	TI PLATE 6Al-4V ELI 0.75X1.5	74	14	14
TPO20750015000	TI PLATE 6Al-4V ELI 0.75X1.5	144	29	29
TPO210000	Ti Plate 6Al-4V ELI 1	78	59	59
TPO210000	Ti Plate 6Al-4V ELI 1	80	55	55
TPO210000	Ti Plate 6Al-4V ELI 1	144	43	43
TPO21000017500	TI PLATE 6Al-4V ELI 1x1.75	39	26	26
TPO21000017500	TI PLATE 6Al-4V ELI 1x1.75	40	24	24
TPO21000017500	TI PLATE 6Al-4V ELI 1x1.75	128	38	38
TPO212500	Ti PLATE 6Al-4V ELI 1.25	138	198	198
TPO402500	TI PLATE CP1 GR 4 0.25	132	38	38
TPO406250	TI PLATE CP1 Gr 4 0.625	80	235	235
TPO603750	TI PLATE CP3 GR 2 0.375	13	200	11
TPO605000	TI PLATE CP3 Gr 2 0.5	72	47	47
TPO606250	TI PLATE CP3 GR 2 0.625	119	39	39
TPO702500	Ti PLATE CP4 Gr 1 0.25	60	14	14
TPO702500	Ti PLATE CP4 Gr 1 0.25	67	20	20
TPO70250020000	TI PLATE CP4 GR 1 0.25x2	72	65	65
TPO705000	TI PLATE CP4 Gr 1 0.5	105	136	136
TR0201250	TI RD BAR 6AL-4V ELI 0.125	168 (+/-0.0015)	984	984

TR0201250	TI RD BAR 6Al-4V ELI 0.125	168 (+/-0.0002)	65	65
TR0201875	TI RD BAR 6Al-4V ELI 0.1875	168 (+/-0.00015)	235	235
TR0201875	TI RD BAR 6Al-4V ELI 0.1875	168 (+/-0.0005)	540	540
TR0202188	TI RD BAR 6Al-4V ELI 0.2188	168 (+/-0.0005)	435	261
TR0202500	Ti Rd Bar 6Al-4V ELI 0.25	168 (+/-0.0002)	686	280
TR0202500	Ti Rd Bar 6Al-4V ELI 0.25	168 (+/-0.0005)	140	140
TR0203125	Ti Rd Bar 6Al-4V ELI 0.3125	168 (+/-0.0002)	1,102	1,102
TR0203125	Ti Rd Bar 6Al-4V ELI 0.3125	168 (+/-0.0005)	471	471
TR0203750	Ti Rd Bar 6Al-4V ELI 0.375	168 (+/-0.0002)	2	2
TR0204375	TI RD BAR 6Al-4V ELI 0.4375	168 (+/-0.0005)	1,427	1,427
TR0204780	Ti RD BAR 6Al-4V ELI 0.478	168 (+/-0.0005)	313	313
TR0205000	Ti Rd Bar 6Al-4V ELI 0.5	168 (+/-0.0005)	1,055	524
TR0206250	Ti Rd Bar 6Al-4V ELI 0.625	168 (+/-0.0002)	31	31
TR0206250	Ti Rd Bar 6Al-4V ELI 0.625	168 (+/-0.0005)	1,401	1,401
TR0207500	Ti Rd Bar 6Al-4V ELI 0.75	168 (+/-0.001)	743	611
TR0208750	Ti Rd Bar 6Al-4V ELI 0.875	168 (+/-0.001)	99	99
TR0210000	TI RD BAR 6Al-4V ELI 1	12 (+/-0.002)	1	1
TR0211250	Ti Rd Bar 6Al-4V ELI 1.125	168 (+/-0.002)	138	138
TR0220000	TI RD BAR 6Al-4V ELI 2	36	373	373
TR0220000	TI RD BAR 6Al-4V ELI 2	38 (+0.008/-0)	39	39
TR0220000	TI RD BAR 6Al-4V ELI 2	40 (+0.008/-0)	524	524
TR0227500	Ti RD BAR 6Al-4V ELI 2.75	48 (+0.008/-0)	2,447	2,447
TR0606250	TI RD BAR CP3 GR 2 0.625	168 (+/-0.0005)	337	337
TS0201250	Ti Sheet 6Al-4V ELI 0.125	96	431	431
TS0201250	Ti Sheet 6Al-4V ELI 0.125	96 Not Listed	45	45