



# VESTED<sup>TM</sup> METALS

**DOES NOT INCLUDE INCOMING STOCK.  
FOR QUOTES AND OTHER MATERIAL AVAILABILITY  
OUTSIDE OF PROMOTIONAL OFFERINGS,  
PLEASE CONTACT YOUR SALES REPRESENTATIVE  
MATERIAL IS SUBJECT TO PRIOR SALE.**

Item ID	Item Description	Length	Tolerance	LBS
OR0114960	Cobalt RD BAR CCM 1 1.496	6		3
OR0114960	Cobalt RD BAR CCM 1 1.496	8		4
OR0114960	Cobalt RD BAR CCM 1 1.496	10		5
OR0114960	Cobalt RD BAR CCM 1 1.496	38		20
OR0114960	Cobalt RD BAR CCM 1 1.496	168		180
OR0116250	Cobalt RD BAR CCM 1 1.625	38		428
OR0116250	Cobalt RD BAR CCM 1 1.625	120		68
OR0122500	Cobalt RD BAR CCM 1 2.25	144 (+/- .003)		1,336
SF100375012500	SS FLAT 17-4 0.375X1.25	168	T(+/- .012")W(+/- .031")	5,725
SF101000025000	SS FLAT 17-4 1x2.5	168	H(+0.039/-0) W(+0.059/-0)	834
SF170212010000	SS FLAT 316LVM 0.212x1	168	THK(+/- .01),W(+.03/-0)	1,602
SF170500015000	SS FLAT 316LVM 0.5X1.5	168	+/- .004	835
SF170500020000	SS Flat 316LVM 0.5x2	168	T(+/- .004) W(+/- .004)	957
SR0301875	SS RD BAR 303 0.1875	168	(+/- .0002)	987
SR0301875	SS RD BAR 303 0.1875	168	(+/- .0002)	483
SR0303125	SS RD BAR 303 0.3125	168	(+/- .0002)	167
SR1000720	SS RD BAR 17-4 0.072	168	(+/- .0005)	423
SR1001875	SS Rd Bar 17-4 0.1875	168	(+/- .0005)	2,503
SR1003160	SS RD BAR 17-4 0.316	168	(+/- .0004)	167
SR1003750	SS Rd Bar 17-4 0.375	168	(+/- .0002)	849
SR1003750	SS Rd Bar 17-4 0.375	168	(+/- .0005)	1,456
SR1005000	SS Rd Bar 17-4 0.5	168	(+/- .0002)	616
SR1005000	SS Rd Bar 17-4 0.5	168	(+/- .0005)	5
SR1005000	SS Rd Bar 17-4 0.5	168	(+/- .002)	736
SR1005625	SS Rd Bar 17-4 0.5625	168	(+/- .00085)	457
SR1006250	SS RD BAR 17-4 0.625	168	(+/- .0005)	96
SR1006250	SS RD BAR 17-4 0.625	168	(+/- .00085)	419
SR1006250	SS RD BAR 17-4 0.625	168	(+/- .005)	382
SR1007500	SS Rd Bar 17-4 0.75	144	(+/- .0005)	1,100
SR1007500	SS Rd Bar 17-4 0.75	168	(+/- .00102)	1,789
SR1008750	SS RD BAR 17-4 0.875	168	(+/- .0005)	415
SR1008750	SS RD BAR 17-4 0.875	168	+0/- .002	154
SR1010000	SS RD BAR 17-4 1	168	(+/- .00102)	1,931
SR1011250	SS RD BAR 17-4 1.125	168	(+/- .0017)	2,019
SR1011250	SS RD BAR 17-4 1.125	168	(+/- .002)	539
SR1012500	SS RD BAR 17-4 1.25	168	(+/- .002)	354
SR1013750	SS RD BAR 17-4 1.375	72	(+/- .002)	31
SR1013750	SS RD BAR 17-4 1.375	74	(+/- .002)	30

SR1015000	SS RD BAR 17-4 1.5	168 (+/-0.002)	601
SR1017500	SS Rd Bar 17-4 1.75	168 (+/-0.002)	4,014
SR1017500	SS Rd Bar 17-4 1.75	168 (+/-0.003)	1,818
SR1020000	SS RD BAR 17-4 2	168 (+/-0.0025)	1,276
SR1100720	SS RD BAR 17-4 H900 0.072	168 (+/-0.0005)	33
SR1101180	SS RD BAR 17-4 H900 0.118	168 (+/-0.0005)	91
SR1101182	SS RD BAR 17-4 H900 0.1182	168 (+/-0.0001)	855
SR1101215	SS RD BAR 17-4 H900 0.1215	168 (+/-0.0005)	55
SR1101560	SS RD BAR 17-4 H900 0.156	168 (+/-0.0002)	33
SR1101875	SS RD BAR 17-4 H900 0.1875	168 (+/-0.0005)	4,327
SR1102070	SS RD BAR 17-4 H900 0.207	168 (+/-0.0005)	1,122
SR1103500	SS RD BAR 17-4 H900 0.35	168 (+/-0.0005)	3,577
SR1103750	SS Rd Bar 17-4 H900 0.375	72 (+/-0.0002)	22
SR1103750	SS Rd Bar 17-4 H900 0.375	168 (+/-0.0002)	148
SR1105000	SS Rd Bar 17-4 H900 0.5	72 +/-0.0002	84
SR1105000	SS Rd Bar 17-4 H900 0.5	168 +/-0.0002	1,051
SR1106880	SS RD BAR 17-4 H900 0.688	168 (+/-0.0002)	182
SR1107500	SS RD BAR 17-4 H900 0.75	168 (+/-0.00102)	84
SR1110000	SS RD BAR 17-4 H900 1	84 (+/-0.002)	1,540
SR1110000	SS RD BAR 17-4 H900 1	168 (+/-0.0006)	33
SR1700590	SS RD BAR 316LVM 0.059	72 (+/-0.0005)	59
SR1700630	SS RD BAR 316LVM 0.063	120 (+0/-0.0004)	207
SR1700670	SS RD BAR 316LVM 0.067	120 (+/-0.0005)	1,178
SR1701250	SS RD BAR 316LVM 0.125	168 (+/-0.0002)	1,045
SR1701875	SS Rd Bar 316LVM 0.1875	168 (+/-0.0002)	1,091
SR1701875	SS Rd Bar 316LVM 0.1875	168 (+/-0.0005)	60
SR1702500	SS Rd Bar 316LVM 0.25	168 (+/-0.0002)	4,346
SR1703125	SS RD BAR 316LVM 0.3125	168 (+/-0.0002)	2,549
SR1703750	SS RD BAR 316LVM 0.375	168 (+/-0.0002)	2,108
SR1705000	SS RD BAR 316LVM 0.5	72 (+/-0.0005)	16
SR1705000	SS RD BAR 316LVM 0.5	168 (.0005/-0)	113
SR1705000	SS RD BAR 316LVM 0.5	168 (+/-0.0002)	1,556
SR1705000	SS RD BAR 316LVM 0.5	168 (+/-0.0025)	25
SR1706250	SS RD BAR 316LVM 0.625	168 (+/-0.0002)	916
SR1707500	SS RD BAR 316LVM 0.75	168 (+/-0.0005)	868
SR1801250	SS RD BAR 455 0.125	168 (+/-0.0002)	139
SR1801875	SS Rd Bar 455 0.1875	168 (+/-0.0002)	424
SR1803750	SS RD BAR 455 0.375	168 (+/-0.0002)	733
SR1806250	SS RD BAR 455 0.625	168 (+/-0.0005)	50
SR1810000	SS RD BAR 455 1	168 (+/-0.0005)	285
SR1810000	SS RD BAR 455 1	168 (+/-0.0006)	3,605
SR1812500	SS RD BAR 455 1.25	168 (+/-0.0005)	1,841
SR1812500	SS RD BAR 455 1.25	168 (+/-0.0006)	135
SR1812500	SS RD BAR 455 1.25	168 (+/-0.001)	1,794
SR1902500	SS RD BAR 465 0.25	168 (+/-0.0003)	1,650
SR1903125	SS RD BAR 465 0.3125	168 (+/-0.0005)	300
SR1903750	SS RD BAR 465 0.375	168 (+/-0.0002)	109

SR1903750	SS RD BAR 465 0.375	168 (+/-0.0005)	113
SR1905000	SS RD BAR C465 0.5	168 (+/-0.0005)	323
SR1906250	SS RD BAR 465 0.625	168 (+/-0.0005)	2,220
SR1906250	SS RD BAR C465 0.625	168 (+/-0.0005)	1,186
SR1910000	SS RD BAR 465 1	168 (+0.005/-0)	1,256
SR1910000	SS RD BAR 465 1	168 (+/-0.0006)	64
SR1912500	SS RD BAR C465 1.25	168 (+/-0.0006)	146
SR2201875	SS RD BAR 440 A 0.1875	168 (+/-0.0003)	8,677
SR2201875	SS RD BAR 440 A 0.1875	168 (+/-0.0005)	7,990
SR2201980	SS RD BAR 440 A 0.198	168 (+/-0.0003)	8,574
SR2202500	SS RD BAR 440 A 0.25	168 (+/-0.0003)	8,414
SR2203750	SS RD BAR 440 A 0.375	168 (+/-0.0003)	1,185
SR2205000	SS RD BAR 440 A 0.5	168 (+/-0.0005)	69
SR2304375	SS RD BAR 440 C 0.4375	168 (+/-0.002)	666
SR2601875	SS RD BAR 431 0.1875	120 (+/-0.0005)	555
SR2602500	SS RD BAR 431 0.25	168 (+/-0.0005)	306
SR2902500	SS RD BAR 420 Mod 0.25	144 (+/-0.0003)	22
SR2902500	SS RD BAR 420 Mod 0.25	144 (+/-0.0005)	17
SR2903750	SS RD BAR 420 Mod 0.375	144 (+/-0.0002)	842
SR2905000	SS RD BAR 420 Mod 0.5	144 (+/-0.0005)	87
SR3101875	SS RD BAR 17-4 Proj 70+ 0.1875	168 (+/-0.0005)	170
SR3103750	SS RD BAR 17-4 Proj 70+ 0.375	99999 (+/-0.0004)	929
SR3103750	SS RD BAR 17-4 Proj 70+ 0.375	99999 (+/-0.0005)	2,402
SR3105000	SS RD BAR 17-4 Proj 70+ 0.5	168 (+/-0.0005)	6,616
SR3106250	SS RD BAR 17-4 Proj 70+ 0.625	168 (+/-0.0005)	2,480
SR3107500	SS RD BAR 17-4 Proj 70+ 0.75	168 (+/-0.0005)	4,597
SR3108750	SS RD BAR 17-4 Proj 70+ 0.875	168 (+/-0.0005)	1,871
SR3110000	SS RD BAR 17-4 Proj 70+ 1	168 (+/-0.0025)	559
SR3112500	SS RD BAR 17-4 Proj 70+ 1.25	65	22
SR3112500	SS RD BAR 17-4 Proj 70+ 1.25	112 (+/-0.0006)	38
SR3112500	SS RD BAR 17-4 Proj 70+ 1.25	168 (+/-0.0006)	1,341
SR3115000	SS RD BAR 17-4 Proj 70+ 1.5	168 (+/-0.003)	865
SR3401250	SS RD BAR 455 H950 0.125	48 LG(+0.125/-0)	50
SR3402500	SS RD BAR 455 H950 0.25	168 (+/-0.0002)	30
SR4808750	SS RD BAR 17-4 Proj 70+ H900 0.875	144 (+/-0.0005)	2,096
ST1001960	SS ROD COIL 17-4 0.196	0 (+0.008/-0.004)	7,597
TF020375010000	TI FLAT 6Al-4V ELI 0.375x1	168 T(+/-0.006);W(+/-0.009)	68
TF020375012500	Ti Flat 6Al-4V ELI 0.375x1.25	168 T(+/-0.006); W(+/-0.011)	1,938
TF020375012500	Ti Flat 6Al-4V ELI 0.375x1.25	168 T(+/-0.006);W(+/-0.011)	3,369
TP0106250	TI PLATE 6Al-4V 0.625	44	98
TP0110000	TI PLATE 6Al-4V 1	76	515
TP0110000	TI PLATE 6Al-4V 1	80	655
TP0110000	TI PLATE 6Al-4V 1	84	570
TP0201875	TI PLATE 6Al-4V ELI 0.1875	95	110
TP0201875	TI PLATE 6Al-4V ELI 0.1875	144	538
TP020187513000	TI PLATE 6Al-4V ELI 0.1875x1.3	80	248
TP0202500	Ti Plate 6Al-4V ELI 0.25	12	26

TP0202500	Ti Plate 6Al-4V ELI 0.25	25	38
TP0202500	Ti Plate 6Al-4V ELI 0.25	53	120
TP0202500	Ti Plate 6Al-4V ELI 0.25	80	65
TP0202500	Ti Plate 6Al-4V ELI 0.25	100	161
TP0202500	Ti Plate 6Al-4V ELI 0.25	107	20
TP020250012500	Ti PLATE 6Al-4V ELI 0.25x1.25	107	260
TP020250013000	TI PLATE 6AL-4V ELI 0.25x1.3	102	82
TP020250013000	TI PLATE 6AL-4V ELI 0.25x1.3	105	203
TP0203125	TI PLATE 6AL-4V ELI 0.3125	79	92
TP0203125	TI PLATE 6AL-4V ELI 0.3125	160	2,102
TP020312505900	TI PLATE 6Al-4V ELI 0.3125 x 0.59	80	194
TP020312533465	TI PLATE 6Al-4V ELI 0.3125X3.3465	80	132
TP0203750	TI PLATE 6AL-4V ELI 0.375	26	78
TP0203750	TI PLATE 6AL-4V ELI 0.375	48	52
TP0203750	TI PLATE 6AL-4V ELI 0.375	80	201
TP0203750	TI PLATE 6AL-4V ELI 0.375	82	51
TP0203750	TI PLATE 6AL-4V ELI 0.375	124	510
TP0203750	TI PLATE 6AL-4V ELI 0.375	138	478
TP0203750	TI PLATE 6AL-4V ELI 0.375	139	482
TP0203750	TI PLATE 6AL-4V ELI 0.375	143	634
TP0203750	TI PLATE 6AL-4V ELI 0.375	160	2,501
TP020375012000	TI PLATE 6Al-4V ELI 0.375X1.2	49	7
TP020375015000	Ti PLATE 6Al-4V ELI 0.375x1.5	72	14
TP0205000	TI PLATE 6AL-4V ELI 0.5	2	18
TP0205000	TI PLATE 6AL-4V ELI 0.5	35	125
TP0205000	TI PLATE 6AL-4V ELI 0.5	66	275
TP0205000	TI PLATE 6AL-4V ELI 0.5	80	286
TP020500010000	Ti PLATE 6Al-4V ELI 0.5x1	80	75
TP020500012500	Ti PLATE 6Al-4V ELI 0.5x1.25	80	335
TP0206250	TI PLATE 6AL-4V ELI 0.625	23	65
TP0206250	TI PLATE 6AL-4V ELI 0.625	24	62
TP0206250	TI PLATE 6AL-4V ELI 0.625	71	54
TP0206250	TI PLATE 6AL-4V ELI 0.625	80	2,348
TP0206250	TI PLATE 6AL-4V ELI 0.625	138	238
TP0206250	TI PLATE 6AL-4V ELI 0.625	144	274
TP0206250	TI PLATE 6AL-4V ELI 0.625	145	310
TP0206250	TI PLATE 6AL-4V ELI 0.625	160	768
TP020625010000	Ti PLATE 6Al-4V ELI 0.625x1	27	6
TP020625010000	Ti PLATE 6Al-4V ELI 0.625x1	80	8
TP020625015000	TI PLATE 6AL-4V ELI 0.625x1.5	168	675
TP020625040000	TI PLATE 6Al-4V ELI 0.625X4	61	26
TP020750012500	Ti PLATE 6Al-4V ELI 0.75x1.25	6	74
TP020750012500	Ti PLATE 6Al-4V ELI 0.75x1.25	144	23
TP020750015000	TI PLATE 6Al-4V ELI 0.75X1.5	74	14
TP020750015000	TI PLATE 6Al-4V ELI 0.75X1.5	144	27
TP020750040000	TI PLATE 6Al-4V ELI 0.75X4	123	62
TP0210000	Ti Plate 6Al-4V ELI 1	144	43

TP021000017500	TI PLATE 6Al-4V ELI 1x1.75	39	24
TP021000017500	TI PLATE 6Al-4V ELI 1x1.75	40	24
TP021000017500	TI PLATE 6Al-4V ELI 1x1.75	80	1,236
TP021000017500	TI PLATE 6Al-4V ELI 1x1.75	128	38
TP021000020000	TI PLATE 6Al-4V ELI 1x2	144	1,115
TP0212500	Ti PLATE 6Al-4V ELI 1.25	80	785
TP040375012500	Ti PLATE CP1 Gr 4 0.375x1.25	78	6
TP0405000	TI PLATE CP1 GR 4 0.5	91	240
TP0407500	TI PLATE CP1 GR 4 0.75	72	193
TP0603750	TI PLATE CP3 GR 2 0.375	13	200
TP0603750	TI PLATE CP3 GR 2 0.375	31	108
TP0603750	TI PLATE CP3 GR 2 0.375	96	30
TP0603750	TI PLATE CP3 GR 2 0.375	128	411
TP0605000	TI PLATE CP3 Gr 2 0.5	17	1,174
TP0605000	TI PLATE CP3 Gr 2 0.5	72	47
TP0606250	TI PLATE CP3 GR 2 0.625	119	39
TP0702500	Ti PLATE CP4 Gr 1 0.25	60	16
TP0702500	Ti PLATE CP4 Gr 1 0.25	67	20
TP070250020000	TI PLATE CP4 GR 1 0.25x2	72	72
TP0705000	TI PLATE CP4 Gr 1 0.5	105	136
TR0201250	TI RD BAR 6Al-4V ELI 0.125	168 (+/-0.00015)	984
TR0201250	TI RD BAR 6Al-4V ELI 0.125	168 (+/-0.0002)	63
TR0201875	TI RD BAR 6Al-4V ELI 0.1875	168 (+/-0.00015)	209
TR0201875	TI RD BAR 6Al-4V ELI 0.1875	168 (+/-0.0005)	746
TR0202188	TI RD BAR 6Al-4V ELI 0.2188	168 (+/-0.0005)	461
TR0202500	Ti Rd Bar 6Al-4V ELI 0.25	168 (+/-0.0002)	451
TR0202500	Ti Rd Bar 6Al-4V ELI 0.25	168 (+/-0.0005)	219
TR0202500	Ti Rd Bar 6Al-4V ELI 0.25	168 (+/-0.0005)	1,200
TR0202500	Ti Rd Bar 6Al-4V ELI 0.25	168 (+/-0.0005)	1,204
TR0203125	Ti Rd Bar 6Al-4V ELI 0.3125	168 (+/-0.0002)	100
TR0203125	Ti Rd Bar 6Al-4V ELI 0.3125	168 (+/-0.0005)	471
TR0203750	Ti Rd Bar 6Al-4V ELI 0.375	168 (+/-0.0002)	511
TR0204375	TI RD BAR 6Al-4V ELI 0.4375	168 (+/-0.0005)	2,044
TR0204780	Ti RD BAR 6Al-4V ELI 0.478	168 (+/-0.0005)	313
TR0205000	Ti Rd Bar 6Al-4V ELI 0.5	168 (+/-0.0005)	1,708
TR0206250	Ti Rd Bar 6Al-4V ELI 0.625	168 (+/-0.0005)	1,225
TR0207500	Ti Rd Bar 6Al-4V ELI 0.75	168 (+/-0.0005)	511
TR0207500	Ti Rd Bar 6Al-4V ELI 0.75	168 (+/-0.001)	1,051
TR0208750	Ti Rd Bar 6Al-4V ELI 0.875	168 (+/-0.0005)	418
TR0208750	Ti Rd Bar 6Al-4V ELI 0.875	168 (+/-0.001)	486
TR0210000	TI RD BAR 6Al-4V ELI 1	168 (+/-0.001)	144
TR0211250	Ti Rd Bar 6Al-4V ELI 1.125	168 (+/-0.002)	314
TR0212500	Ti Rd Bar 6Al-4V ELI 1.25	61 (+/-0.001)	12
TR0212500	Ti Rd Bar 6Al-4V ELI 1.25	168 (+/-0.001)	983
TR0220000	TI RD BAR 6Al-4V ELI 2	36	373
TR0220000	TI RD BAR 6Al-4V ELI 2	38 (+0.008/-0)	39
TR0220000	TI RD BAR 6Al-4V ELI 2	40 (+0.008/-0)	524

TR0225000	TI RD BAR 6AL-4V ELI 2.5	109 (+.008/-0)	86
TR0225000	TI RD BAR 6AL-4V ELI 2.5	156 (+.008/-0)	374
TR0227500	Ti RD BAR 6Al-4V ELI 2.75	48 (+.008/-0)	2,447
TR0606250	TI RD BAR CP3 GR 2 0.625	168 (+/-0.0005)	337
TS0201250	Ti Sheet 6Al-4V ELI 0.125	96	425
TS0201250	Ti Sheet 6Al-4V ELI 0.125	96 Not Listed	45