



# VESTED METALS™

DOES NOT INCLUDE INCOMING STOCK.  
 FOR QUOTES AND OTHER MATERIAL AVAILABILITY  
 OUTSIDE OF PROMOTIONAL OFFERINGS,  
 PLEASE CONTACT YOUR SALES REPRESENTATIVE  
 MATERIAL IS SUBJECT TO PRIOR SALE.

Item ID	Item Description	Length	Tolerance	LBS	LBS in Stock
OR0113125	Cobalt RD BAR CCM 1 1.3125	42	(+/-0.0025)	54	54
OR0114960	Cobalt RD BAR CCM 1 1.496	6		3	0
OR0114960	Cobalt RD BAR CCM 1 1.496	8		4	0
OR0114960	Cobalt RD BAR CCM 1 1.496	10		5	0
OR0114960	Cobalt RD BAR CCM 1 1.496	38		20	0
OR0114960	Cobalt RD BAR CCM 1 1.496	168		180	0
OR0116250	Cobalt RD BAR CCM 1 1.625	38		143	73
OR0116250	Cobalt RD BAR CCM 1 1.625	120		68	0
OR0122500	Cobalt RD BAR CCM 1 2.25	144	(+/-0.003)	1,336	1,165
SF100375012500	SS FLAT 17-4 0.375X1.25	168	T(+/-0.012")W(+/-0.031")	5,725	5,725
SF101000025000	SS FLAT 17-4 1x2.5	168	H(+0.039/-0) W(+0.059/-0)	834	834
SF170212010000	SS FLAT 316LVM 0.212x1	168	THK(+/-0.01),W(+0.03/-0)	1,602	1,602
SF170500015000	SS FLAT 316LVM 0.5X1.5	168	+/- .004	629	629
SF170500020000	SS Flat 316LVM 0.5x2	168	T(+/-0.004) W(+/-0.004)	957	957
SR0301875	SS RD BAR 303 0.1875	168	(+/-0.0002)	987	987
SR0301875	SS RD BAR 303 0.1875	168	(+/-0.0002)	483	483
SR0303125	SS RD BAR 303 0.3125	168	(+/-0.0002)	167	167
SR1000720	SS RD BAR 17-4 0.072	168	(+/-0.0005)	423	10
SR1001875	SS Rd Bar 17-4 0.1875	168	(+/-0.0005)	2,503	1
SR1003160	SS RD BAR 17-4 0.316	168	(+/-0.0004)	167	167
SR1003750	SS Rd Bar 17-4 0.375	168	(+/-0.0002)	849	849
SR1003750	SS Rd Bar 17-4 0.375	168	(+/-0.0005)	1,447	1,421
SR1005000	SS Rd Bar 17-4 0.5	168	(+/-0.0002)	463	463
SR1005000	SS Rd Bar 17-4 0.5	168	(+/-0.0005)	5	5
SR1005000	SS Rd Bar 17-4 0.5	168	(+/-0.002)	736	736
SR1005625	SS Rd Bar 17-4 0.5625	168	(+/-0.00085)	457	457
SR1006250	SS RD BAR 17-4 0.625	168	(+/-0.0005)	36	-1
SR1006250	SS RD BAR 17-4 0.625	168	(+/-0.00085)	42	-32
SR1006250	SS RD BAR 17-4 0.625	168	(+/-0.005)	382	382
SR1007500	SS Rd Bar 17-4 0.75	144	(+/-0.0005)	917	917
SR1007500	SS Rd Bar 17-4 0.75	168	(+/-0.00102)	1,789	1,789
SR1008750	SS RD BAR 17-4 0.875	168	(+/-0.0005)	415	415
SR1008750	SS RD BAR 17-4 0.875	168	+0/-0.002	154	154
SR1010000	SS RD BAR 17-4 1	168	(+/-0.00102)	1,931	1,931
SR1011250	SS RD BAR 17-4 1.125	168	(+/-0.0017)	2,019	2,019
SR1011250	SS RD BAR 17-4 1.125	168	(+/-0.002)	539	539
SR1012500	SS RD BAR 17-4 1.25	168	(+/-0.002)	354	354
SR1013750	SS RD BAR 17-4 1.375	72	(+/-0.002)	31	31
SR1013750	SS RD BAR 17-4 1.375	74	(+/-0.002)	30	30
SR1015000	SS RD BAR 17-4 1.5	168	(+/-0.002)	601	601
SR1017500	SS Rd Bar 17-4 1.75	168	(+/-0.002)	4,014	4,014
SR1017500	SS Rd Bar 17-4 1.75	168	(+/-0.003)	1,818	545

SR1020000	SS RD BAR 17-4 2	168 (+/-0.0025)	1,276	1,276
SR1100720	SS RD BAR 17-4 H900 0.072	168 (+/-0.0005)	33	33
SR1101182	SS RD BAR 17-4 H900 0.1182	168 (+/-0.0001)	855	0
SR1101215	SS RD BAR 17-4 H900 0.1215	168 (+/-0.0005)	55	55
SR1101440	SS RD BAR 17-4 H900 0.144	144 (+/-0.0005)	834	0
SR1101560	SS RD BAR 17-4 H900 0.156	168 (+/-0.0002)	33	0
SR1101875	SS RD BAR 17-4 H900 0.1875	168 (+/-0.0002)	709	709
SR1101875	SS RD BAR 17-4 H900 0.1875	168 (+/-0.0005)	4,327	0
SR1102070	SS RD BAR 17-4 H900 0.207	168 (+/-0.0005)	1,122	0
SR1103500	SS RD BAR 17-4 H900 0.35	168 (+/-0.0005)	3,577	3,577
SR1103750	SS Rd Bar 17-4 H900 0.375	72 (+/-0.0002)	22	22
SR1103750	SS Rd Bar 17-4 H900 0.375	168 (+/-0.0002)	148	148
SR1105000	SS Rd Bar 17-4 H900 0.5	72 +/-0.0002	84	84
SR1105000	SS Rd Bar 17-4 H900 0.5	168 +/-0.0002	1,768	1,768
SR1106880	SS RD BAR 17-4 H900 0.688	168 (+/-0.0002)	182	182
SR1107500	SS RD BAR 17-4 H900 0.75	168 (+/-0.00102)	30	30
SR1110000	SS RD BAR 17-4 H900 1	84 (+/-0.002)	1,504	1,502
SR1110000	SS RD BAR 17-4 H900 1	168 (+/-0.0006)	33	33
SR1700530	SS RD BAR 316LVM 0.053	72 (+0/-0.0004)	76	76
SR1700590	SS RD BAR 316LVM 0.059	72 (+/-0.0005)	59	59
SR1700630	SS RD BAR 316LVM 0.063	120 (+0/-0.0004)	207	207
SR1700670	SS RD BAR 316LVM 0.067	120 (+/-0.0005)	1,178	1,178
SR1701250	SS RD BAR 316LVM 0.125	168 (+/-0.0002)	1,045	1,045
SR1701875	SS Rd Bar 316LVM 0.1875	168 (+/-0.0002)	420	420
SR1701875	SS Rd Bar 316LVM 0.1875	168 (+/-0.0005)	60	60
SR1702500	SS Rd Bar 316LVM 0.25	168 (+/-0.0002)	4,346	4,346
SR1703125	SS RD BAR 316LVM 0.3125	168 (+/-0.0002)	2,549	2,549
SR1703750	SS RD BAR 316LVM 0.375	168 (+/-0.0002)	2,108	2,108
SR1705000	SS RD BAR 316LVM 0.5	72 (+/-0.0005)	16	16
SR1705000	SS RD BAR 316LVM 0.5	168 (.0005/-0)	113	113
SR1705000	SS RD BAR 316LVM 0.5	168 (+/-0.0002)	1,556	1,556
SR1705000	SS RD BAR 316LVM 0.5	168 (+/-0.0025)	25	25
SR1706250	SS RD BAR 316LVM 0.625	168 (+/-0.0002)	916	916
SR1707500	SS RD BAR 316LVM 0.75	168 (+/-0.0005)	868	868
SR1801250	SS RD BAR 455 0.125	168 (+/-0.0002)	139	139
SR1801875	SS Rd Bar 455 0.1875	168 (+/-0.0002)	424	424
SR1803750	SS RD BAR 455 0.375	168 (+/-0.0002)	733	733
SR1806250	SS RD BAR 455 0.625	168 (+/-0.0005)	50	50
SR1810000	SS RD BAR 455 1	168 (+/-0.0005)	254	254
SR1810000	SS RD BAR 455 1	168 (+/-0.0006)	2,322	2,322
SR1812500	SS RD BAR 455 1.25	168 (+/-0.0005)	1,841	1,841
SR1812500	SS RD BAR 455 1.25	168 (+/-0.0006)	135	135
SR1902500	SS RD BAR 465 0.25	168 (+/-0.0003)	1,465	1,465
SR1903125	SS RD BAR 465 0.3125	168 (+/-0.0005)	300	300
SR1903750	SS RD BAR 465 0.375	168 (+/-0.0002)	109	109
SR1903750	SS RD BAR 465 0.375	168 (+/-0.0005)	113	113
SR1906250	SS RD BAR 465 0.625	168 (+/-0.0005)	2,220	2,220
SR1906250	SS RD BAR C465 0.625	168 (+/-0.0005)	741	741
SR1910000	SS RD BAR 465 1	168 (+0.005/-0)	1,256	1,256
SR1910000	SS RD BAR 465 1	168 (+/-0.0006)	64	64
SR1912500	SS RD BAR C465 1.25	168 (+/-0.0006)	146	146

SR2201875	SS RD BAR 440 A 0.1875	168 (+/-0.0003)	8,677	8,677
SR2201875	SS RD BAR 440 A 0.1875	168 (+/-0.0005)	7,990	0
SR2201980	SS RD BAR 440 A 0.198	168 (+/-0.0003)	8,574	8,574
SR2202500	SS RD BAR 440 A 0.25	168 (+/-0.0003)	8,374	8,239
SR2203750	SS RD BAR 440 A 0.375	108 (+/-0.0003)	3	3
SR2203750	SS RD BAR 440 A 0.375	168 (+/-0.0003)	1,180	1,180
SR2205000	SS RD BAR 440 A 0.5	168 (+/-0.0005)	69	69
SR2304375	SS RD BAR 440 C 0.4375	168 (+/-0.002)	666	666
SR2601875	SS RD BAR 431 0.1875	120 (+/-0.0005)	555	555
SR2602500	SS RD BAR 431 0.25	168 (+/-0.0005)	306	306
SR2902500	SS RD BAR 420 Mod 0.25	144 (+/-0.0003)	22	2
SR2902500	SS RD BAR 420 Mod 0.25	144 (+/-0.0005)	17	17
SR2903750	SS RD BAR 420 Mod 0.375	144 (+/-0.0002)	774	774
SR2905000	SS RD BAR 420 Mod 0.5	73 (+/-0.0005)	3	3
SR2905000	SS RD BAR 420 Mod 0.5	144 (+/-0.0005)	79	79
SR3101875	SS RD BAR 17-4 Proj 70+ 0.1875	168 (+/-0.0005)	170	170
SR3103750	SS RD BAR 17-4 Proj 70+ 0.375	99999 (+/-0.0004)	929	929
SR3103750	SS RD BAR 17-4 Proj 70+ 0.375	99999 (+/-0.0005)	2,402	2,402
SR3105000	SS RD BAR 17-4 Proj 70+ 0.5	168 (+/-0.0005)	6,616	0
SR3106250	SS RD BAR 17-4 Proj 70+ 0.625	168 (+/-0.0005)	2,171	0
SR3107500	SS RD BAR 17-4 Proj 70+ 0.75	168 (+/-0.0005)	4,399	0
SR3108750	SS RD BAR 17-4 Proj 70+ 0.875	168 (+/-0.0005)	1,628	0
SR3110000	SS RD BAR 17-4 Proj 70+ 1	168 (+/-0.0025)	559	559
SR3112500	SS RD BAR 17-4 Proj 70+ 1.25	65	22	0
SR3112500	SS RD BAR 17-4 Proj 70+ 1.25	112 (+/-0.0006)	38	1
SR3112500	SS RD BAR 17-4 Proj 70+ 1.25	168 (+/-0.0006)	1,341	0
SR3115000	SS RD BAR 17-4 Proj 70+ 1.5	168 (+/-0.003)	865	865
SR3401250	SS RD BAR 455 H950 0.125	48 LG(+.125/-0)	50	0
SR3402500	SS RD BAR 455 H950 0.25	168 (+/-0.0002)	30	30
SR4808750	SS RD BAR 17-4 Proj 70+ H900 0.875	144 (+/-0.0005)	2,096	2,096
ST1001960	SS ROD COIL 17-4 0.196	0 (+.008/-0.004)	7,597	7,597
TF020375010000	TI FLAT 6AL-4V ELI 0.375X1	168 T(+/-0.006);W(+/-0.009)	68	68
TF020375012500	Ti Flat 6Al-4V ELI 0.375x1.25	168 T(+/-0.006); W(+/-0.011)	1,263	1
TF020375012500	Ti Flat 6Al-4V ELI 0.375x1.25	168 T(+/-0.006);W(+/-0.011)	3,369	0
TP0106250	TI PLATE 6AL-4V 0.625	44	98	98
TP0110000	TI PLATE 6Al-4V 1	76	515	0
TP0110000	TI PLATE 6Al-4V 1	80	655	65
TP0110000	TI PLATE 6Al-4V 1	84	570	0
TP0201875	TI PLATE 6Al-4V ELI 0.1875	95	110	110
TP0201875	TI PLATE 6Al-4V ELI 0.1875	132	102	102
TP0201875	TI PLATE 6Al-4V ELI 0.1875	144	505	505
TP020187513000	TI PLATE 6AL-4V ELI 0.1875x1.3	80	248	248
TP0202500	Ti Plate 6Al-4V ELI 0.25	12	26	26
TP0202500	Ti Plate 6Al-4V ELI 0.25	25	38	38
TP0202500	Ti Plate 6Al-4V ELI 0.25	53	78	78
TP0202500	Ti Plate 6Al-4V ELI 0.25	80	65	65
TP0202500	Ti Plate 6Al-4V ELI 0.25	100	161	0
TP0202500	Ti Plate 6Al-4V ELI 0.25	107	20	20
TP0202500	Ti Plate 6Al-4V ELI 0.25	130	15	15
TP020250012500	Ti PLATE 6Al-4V ELI 0.25x1.25	107	242	1
TP020250013000	TI PLATE 6AL-4V ELI 0.25x1.3	102	82	0

TPO20250013000	TI PLATE 6AL-4V ELI 0.25x1.3	105	203	0
TPO203125	TI PLATE 6AL-4V ELI 0.3125	79	92	92
TPO203125	TI PLATE 6AL-4V ELI 0.3125	160	2,102	2,102
TPO20312505900	TI PLATE 6Al-4V ELI 0.3125 x 0.59	80	194	194
TPO20312533465	TI PLATE 6Al-4V ELI 0.3125X3.3465	80	132	132
TPO203750	TI PLATE 6AL-4V ELI 0.375	26	78	78
TPO203750	TI PLATE 6AL-4V ELI 0.375	48	52	52
TPO203750	TI PLATE 6AL-4V ELI 0.375	80	201	201
TPO203750	TI PLATE 6AL-4V ELI 0.375	82	51	51
TPO203750	TI PLATE 6AL-4V ELI 0.375	124	510	510
TPO203750	TI PLATE 6AL-4V ELI 0.375	139	108	108
TPO203750	TI PLATE 6AL-4V ELI 0.375	143	471	471
TPO203750	TI PLATE 6AL-4V ELI 0.375	160	1,984	1,984
TPO20375012000	TI PLATE 6Al-4V ELI 0.375X1.2	49	7	7
TPO20375015000	Ti PLATE 6Al-4V ELI 0.375x1.5	72	14	14
TPO205000	TI PLATE 6AL-4V ELI 0.5	2	18	18
TPO205000	TI PLATE 6AL-4V ELI 0.5	35	125	125
TPO205000	TI PLATE 6AL-4V ELI 0.5	67	140	140
TPO20500010000	Ti PLATE 6Al-4V ELI 0.5x1	80	75	75
TPO20500012500	Ti PLATE 6Al-4V ELI 0.5x1.25	80	335	0
TPO206250	TI PLATE 6AL-4V ELI 0.625	23	65	65
TPO206250	TI PLATE 6AL-4V ELI 0.625	24	62	62
TPO206250	TI PLATE 6AL-4V ELI 0.625	71	54	54
TPO206250	TI PLATE 6AL-4V ELI 0.625	80	2,069	105
TPO206250	TI PLATE 6AL-4V ELI 0.625	145	165	165
TPO206250	TI PLATE 6AL-4V ELI 0.625	160	768	0
TPO20625010000	Ti PLATE 6Al-4V ELI 0.625x1	27	6	6
TPO20625010000	Ti PLATE 6Al-4V ELI 0.625x1	80	8	8
TPO20625040000	TI PLATE 6Al-4V ELI 0.625X4	61	26	26
TPO20750012500	Ti PLATE 6Al-4V ELI 0.75x1.25	6	74	74
TPO20750012500	Ti PLATE 6Al-4V ELI 0.75x1.25	144	23	23
TPO20750015000	TI PLATE 6Al-4V ELI 0.75X1.5	74	14	14
TPO20750015000	TI PLATE 6Al-4V ELI 0.75X1.5	144	27	27
TPO20750040000	TI PLATE 6Al-4V ELI 0.75X4	123	62	62
TPO210000	Ti Plate 6Al-4V ELI 1	144	43	43
TPO21000017500	TI PLATE 6Al-4V ELI 1x1.75	39	24	24
TPO21000017500	TI PLATE 6Al-4V ELI 1x1.75	40	24	24
TPO21000017500	TI PLATE 6Al-4V ELI 1x1.75	80	1,236	1,236
TPO21000017500	TI PLATE 6Al-4V ELI 1x1.75	128	38	38
TPO21000020000	TI PLATE 6Al-4V ELI 1x2	144	537	537
TPO212500	Ti PLATE 6Al-4V ELI 1.25	80	570	570
TPO40375012500	Ti PLATE CP1 Gr 4 0.375x1.25	78	6	6
TPO407500	TI PLATE CP1 GR 4 0.75	72	94	94
TPO603750	TI PLATE CP3 GR 2 0.375	13	200	11
TPO603750	TI PLATE CP3 GR 2 0.375	31	108	108
TPO603750	TI PLATE CP3 GR 2 0.375	96	30	30
TPO603750	TI PLATE CP3 GR 2 0.375	128	411	411
TPO605000	TI PLATE CP3 Gr 2 0.5	17	1,174	0
TPO605000	TI PLATE CP3 Gr 2 0.5	72	47	47
TPO606250	TI PLATE CP3 GR 2 0.625	119	39	39
TPO606250	TI PLATE CP3 GR 2 0.625	134	159	159

TP0702500	Ti PLATE CP4 Gr 1 0.25	60	16	16
TP0702500	Ti PLATE CP4 Gr 1 0.25	67	20	20
TP070250020000	TI PLATE CP4 GR 1 0.25x2	72	72	72
TP0705000	TI PLATE CP4 Gr 1 0.5	105	136	136
TRO201250	TI RD BAR 6AL-4V ELI 0.125	168 (+/-0.00015)	984	984
TRO201250	TI RD BAR 6AL-4V ELI 0.125	168 (+/-0.0002)	63	63
TRO201875	TI RD BAR 6AI-4V ELI 0.1875	168 (+/-0.00015)	209	209
TRO201875	TI RD BAR 6AI-4V ELI 0.1875	168 (+/-0.0005)	721	721
TRO202188	TI RD BAR 6AL-4V ELI 0.2188	168 (+/-0.0005)	425	425
TRO202500	Ti Rd Bar 6AI-4V ELI 0.25	168 (+/-0.0002)	428	35
TRO202500	Ti Rd Bar 6AI-4V ELI 0.25	168 (+/-0.0005)	219	219
TRO202500	Ti Rd Bar 6AI-4V ELI 0.25	168 (+/-0.0005)	1,200	1,200
TRO202500	Ti Rd Bar 6AI-4V ELI 0.25	168 (+/-0.0005)	1,204	1,204
TRO203125	Ti Rd Bar 6AI-4V ELI 0.3125	168 (+/-0.0002)	805	805
TRO203125	Ti Rd Bar 6AI-4V ELI 0.3125	168 (+/-0.0005)	471	471
TRO203750	Ti Rd Bar 6AI-4V ELI 0.375	168 (+/-0.0002)	436	436
TRO204375	TI RD BAR 6AL-4V ELI 0.4375	168 (+/-0.0005)	2,034	2,028
TRO204780	Ti RD BAR 6AI-4V ELI 0.478	168 (+/-0.0005)	313	313
TRO205000	Ti Rd Bar 6AI-4V ELI 0.5	168 (+/-0.0005)	1,522	1,234
TRO206250	Ti Rd Bar 6AI-4V ELI 0.625	168 (+/-0.0005)	663	507
TRO207500	Ti Rd Bar 6AI-4V ELI 0.75	168 (+/-0.0005)	186	84
TRO207500	Ti Rd Bar 6AI-4V ELI 0.75	168 (+/-0.001)	1,051	919
TRO208750	Ti Rd Bar 6AI-4V ELI 0.875	168 (+/-0.0005)	96	96
TRO208750	Ti Rd Bar 6AI-4V ELI 0.875	168 (+/-0.001)	82	82
TRO210000	TI RD BAR 6AL-4V ELI 1	168 (+/-0.001)	72	0
TRO212500	Ti Rd Bar 6AI-4V ELI 1.25	61 (+/-0.001)	12	12
TRO212500	Ti Rd Bar 6AI-4V ELI 1.25	168 (+/-0.001)	983	983
TRO220000	TI RD BAR 6AL-4V ELI 2	36	373	373
TRO220000	TI RD BAR 6AL-4V ELI 2	38 (+0.008/-0)	39	39
TRO220000	TI RD BAR 6AL-4V ELI 2	40 (+0.008/-0)	524	524
TRO225000	TI RD BAR 6AL-4V ELI 2.5	109 (+0.008/-0)	86	86
TRO225000	TI RD BAR 6AL-4V ELI 2.5	156 (+0.008/-0)	374	374
TRO227500	TI RD BAR 6AI-4V ELI 2.75	48 (+0.008/-0)	2,447	2,447
TRO606250	TI RD BAR CP3 GR 2 0.625	168 (+/-0.0005)	337	337
TS0201250	Ti Sheet 6AI-4V ELI 0.125	96	425	425
TS0201250	Ti Sheet 6AI-4V ELI 0.125	96 Not Listed	45	45