



**DOES NOT INCLUDE INCOMING STOCK.
 FOR QUOTES AND OTHER MATERIAL AVAILABILITY
 OUTSIDE OF PROMOTIONAL OFFERINGS,
 PLEASE CONTACT YOUR SALES REPRESENTATIVE
 MATERIAL IS SUBJECT TO PRIOR SALE.**

Item ID	Item Description	Length	Tolerance	LBS	LBS in Stock
OR0114960	Cobalt RD BAR CCM 1 1.496	6		6	6
OR0114960	Cobalt RD BAR CCM 1 1.496	8		4	4
OR0114960	Cobalt RD BAR CCM 1 1.496	38		20	20
OR0114960	Cobalt RD BAR CCM 1 1.496	168		30	30
OR0116250	Cobalt RD BAR CCM 1 1.625	38		143	73
OR0122500	Cobalt RD BAR CCM 1 2.25	144 (+/-0.003)		1,336	905
SF100375012500	SS FLAT 17-4 0.375X1.25	168 T(+/-0.012")W(+/-0.031")		5,725	5,725
SF101000025000	SS FLAT 17-4 1x2.5	168 H(+0.039/-0) W(+0.059/-0)		834	834
SF101000060000	SS FLAT 17-4 1X6	60		100	100
SF101000060000	SS FLAT 17-4 1X6	168		43,896	20,853
SF170212010000	SS FLAT 316LVM 0.212x1	168 THK(+/-0.01),W(+0.03/-0)		1,602	1,602
SF170500015000	SS FLAT 316LVM 0.5X1.5	66 +/- .004		14	14
SF170500015000	SS FLAT 316LVM 0.5X1.5	168 +/- .004		597	597
SF170500020000	SS Flat 316LVM 0.5x2	86 T(+/-0.004) W(+/-0.004		25	25
SF170500020000	SS Flat 316LVM 0.5x2	168 T(+/-0.004) W(+/-0.004		915	915
SR0301875	SS RD BAR 303 0.1875	168 (+/-0.0002		987	987
SR0301875	SS RD BAR 303 0.1875	168 (+/-0.0002)		483	483
SR0303125	SS RD BAR 303 0.3125	168 (+/-0.0002)		167	167
SR1000720	SS RD BAR 17-4 0.072	168 (+/-0.0005)		423	10
SR1001875	SS Rd Bar 17-4 0.1875	168 (+/-0.0005)		1,385	2
SR1003160	SS RD BAR 17-4 0.316	168 (+/-0.0004)		167	167
SR1003750	SS Rd Bar 17-4 0.375	168 (+/-0.0002)		849	849
SR1003750	SS Rd Bar 17-4 0.375	168 (+/-0.0005)		300	300
SR1005000	SS Rd Bar 17-4 0.5	120 (+/-0.0005)		4	4
SR1005000	SS Rd Bar 17-4 0.5	168 (+/-0.0002)		463	463
SR1005000	SS Rd Bar 17-4 0.5	168 (+/-0.002)		728	728
SR1005625	SS Rd Bar 17-4 0.5625	168 (+/-0.00085)		212	212
SR1006250	SS RD BAR 17-4 0.625	168 (+/-0.0005)		24	24
SR1006250	SS RD BAR 17-4 0.625	168 (+/-0.005)		356	356
SR1007500	SS Rd Bar 17-4 0.75	144 (+/-0.0005)		917	917
SR1007500	SS Rd Bar 17-4 0.75	168 (+/-0.00102)		1,789	1,789
SR1008750	SS RD BAR 17-4 0.875	168 (+/-0.0005)		415	415
SR1008750	SS RD BAR 17-4 0.875	168 +0/-0.002		154	154
SR1010000	SS RD BAR 17-4 1	168 (+/-0.00102)		1,039	145
SR1011250	SS RD BAR 17-4 1.125	168 (+/-0.0017)		2,019	2,019
SR1011250	SS RD BAR 17-4 1.125	168 (+/-0.002)		317	317
SR1012500	SS RD BAR 17-4 1.25	168 (+/-0.002)		354	354
SR1013750	SS RD BAR 17-4 1.375	72 (+/-0.002)		31	31
SR1013750	SS RD BAR 17-4 1.375	74 (+/-0.002)		30	30
SR1015000	SS RD BAR 17-4 1.5	168 (+/-0.002)		601	601
SR1017500	SS Rd Bar 17-4 1.75	168 (+/-0.002)		4,014	4,014
SR1017500	SS Rd Bar 17-4 1.75	168 (+/-0.003)		375	375

SR1020000	SS RD BAR 17-4 2	168 (+/-0.0025)	641	0
SR1100720	SS RD BAR 17-4 H900 0.072	168 (+/-0.0005)	33	33
SR1101215	SS RD BAR 17-4 H900 0.1215	168 (+/-0.0005)	55	55
SR1101250	SS RD BAR 17-4 H900 0.125	168 (+/-0.002)	1,110	1,110
SR1101560	SS RD BAR 17-4 H900 0.156	168 (+/-0.0002)	33	0
SR1101875	SS RD BAR 17-4 H900 0.1875	168 (+/-0.0002)	673	673
SR1101875	SS RD BAR 17-4 H900 0.1875	168 (+/-0.0005)	4,327	0
SR1102070	SS RD BAR 17-4 H900 0.207	168 (+/-0.0005)	264	0
SR1103500	SS RD BAR 17-4 H900 0.35	168 (+/-0.0005)	3,577	3,577
SR1103750	SS Rd Bar 17-4 H900 0.375	72 (+/-0.0002)	22	22
SR1103750	SS Rd Bar 17-4 H900 0.375	168 (+/-0.0002)	126	126
SR1105000	SS Rd Bar 17-4 H900 0.5	72 +/-0.0002	84	84
SR1105000	SS Rd Bar 17-4 H900 0.5	168 +/-0.0002	1,727	1,727
SR1106880	SS RD BAR 17-4 H900 0.688	168 (+/-0.0002)	182	182
SR1107500	SS RD BAR 17-4 H900 0.75	168 (+/-0.00102)	30	30
SR1110000	SS RD BAR 17-4 H900 1	84 (+/-0.002)	1,504	1,502
SR1110000	SS RD BAR 17-4 H900 1	168 (+/-0.0006)	33	33
SR1700530	SS RD BAR 316LVM 0.053	72 (+0/-0.0004)	76	76
SR1700590	SS RD BAR 316LVM 0.059	72 (+/-0.0005)	59	59
SR1700630	SS RD BAR 316LVM 0.063	120 (+0/-0.0004)	207	207
SR1700670	SS RD BAR 316LVM 0.067	120 (+/-0.0005)	1,178	1,178
SR1700910	SS RD BAR 316LVM 0.091	144 (+/-0.0005)	450	450
SR1701250	SS RD BAR 316LVM 0.125	168 (+/-0.0002)	1,043	1,041
SR1701875	SS Rd Bar 316LVM 0.1875	168 (+/-0.0002)	420	420
SR1701875	SS Rd Bar 316LVM 0.1875	168 (+/-0.0005)	60	60
SR1702500	SS Rd Bar 316LVM 0.25	168 (+/-0.0002)	4,326	4,326
SR1703125	SS RD BAR 316LVM 0.3125	168 (+/-0.0002)	2,549	2,549
SR1703750	SS RD BAR 316LVM 0.375	168 (+/-0.0002)	1,933	1,933
SR1705000	SS RD BAR 316LVM 0.5	72 (+/-0.0005)	16	16
SR1705000	SS RD BAR 316LVM 0.5	168 (.0005/-0)	89	89
SR1705000	SS RD BAR 316LVM 0.5	168 (+/-0.0002)	1,550	1,550
SR1705000	SS RD BAR 316LVM 0.5	168 (+/-0.0025)	25	25
SR1706250	SS RD BAR 316LVM 0.625	168 (+/-0.0002)	916	916
SR1707500	SS RD BAR 316LVM 0.75	168 (+/-0.0005)	868	868
SR1801250	SS RD BAR 455 0.125	168 (+/-0.0002)	139	139
SR1803750	SS RD BAR 455 0.375	168 (+/-0.0002)	686	686
SR1806250	SS RD BAR 455 0.625	168 (+/-0.0005)	50	50
SR1810000	SS RD BAR 455 1	168 (+/-0.0006)	2,166	2,166
SR1812500	SS RD BAR 455 1.25	168 (+/-0.0005)	1,491	799
SR1812500	SS RD BAR 455 1.25	168 (+/-0.0006)	135	135
SR1902500	SS RD BAR 465 0.25	168 (+/-0.0003)	1,457	1,457
SR1903125	SS RD BAR 465 0.3125	168 (+/-0.0005)	300	300
SR1903750	SS RD BAR 465 0.375	168 (+/-0.0002)	109	109
SR1903750	SS RD BAR 465 0.375	168 (+/-0.0005)	32	32
SR1906250	SS RD BAR 465 0.625	168 (+/-0.0005)	2,220	2,220
SR1906250	SS RD BAR C465 0.625	168 (+/-0.0005)	729	729
SR1910000	SS RD BAR 465 1	168 (+0.005/-0)	1,256	1,256
SR1912500	SS RD BAR C465 1.25	168 (+/-0.0006)	96	96
SR2201875	SS RD BAR 440 A 0.1875	168 (+/-0.0003)	8,677	0
SR2201875	SS RD BAR 440 A 0.1875	168 (+/-0.0005)	7,990	7,990

SR2201980	SS RD BAR 440 A 0.198	168 (+/-0.0003)	8,574	8,574
SR2202500	SS RD BAR 440 A 0.25	168 (+/-0.0003)	8,374	8,239
SR2203750	SS RD BAR 440 A 0.375	72 (+/-0.0003)	2	2
SR2203750	SS RD BAR 440 A 0.375	168 (+/-0.0003)	1,180	1,180
SR2205000	SS RD BAR 440 A 0.5	168 (+/-0.0005)	69	69
SR2304375	SS RD BAR 440 C 0.4375	168 (+/-0.002)	666	666
SR2601875	SS RD BAR 431 0.1875	120 (+/-0.0005)	555	555
SR2602500	SS RD BAR 431 0.25	168 (+/-0.0005)	306	306
SR2902500	SS RD BAR 420 Mod 0.25	144 (+/-0.0003)	22	22
SR2902500	SS RD BAR 420 Mod 0.25	144 (+/-0.0005)	17	17
SR2903750	SS RD BAR 420 Mod 0.375	144 (+/-0.0002)	651	651
SR2905000	SS RD BAR 420 Mod 0.5	73 (+/-0.0005)	3	3
SR2905000	SS RD BAR 420 Mod 0.5	144 (+/-0.0005)	79	79
SR3101875	SS RD BAR 17-4 Proj 70+ 0.1875	168 (+/-0.0005)	170	170
SR3103750	SS RD BAR 17-4 Proj 70+ 0.375	(+/-0.0004)	929	929
SR3103750	SS RD BAR 17-4 Proj 70+ 0.375	(+/-0.0005)	2,402	2,402
SR3105000	SS RD BAR 17-4 Proj 70+ 0.5	168 (+/-0.0005)	6,248	5
SR3106250	SS RD BAR 17-4 Proj 70+ 0.625	168 (+/-0.0005)	973	0
SR3107500	SS RD BAR 17-4 Proj 70+ 0.75	168 (+/-0.0005)	2,859	0
SR3108750	SS RD BAR 17-4 Proj 70+ 0.875	168 (+/-0.0005)	464	0
SR3110000	SS RD BAR 17-4 Proj 70+ 1	168 (+/-0.0025)	559	559
SR3112500	SS RD BAR 17-4 Proj 70+ 1.25	65 (+/-0.0006)	22	0
SR3112500	SS RD BAR 17-4 Proj 70+ 1.25	112 (+/-0.0006)	38	1
SR3112500	SS RD BAR 17-4 Proj 70+ 1.25	168 (+/-0.0006)	1,094	3
SR3115000	SS RD BAR 17-4 Proj 70+ 1.5	168 (+/-0.003)	865	865
SR3401250	SS RD BAR 455 H950 0.125	48 LG(+.125/-0)	16	0
SR4808750	SS RD BAR 17-4 Proj 70+ H900 0.875	144 (+/-0.0005)	2,096	2,096
ST1001960	SS ROD COIL 17-4 0.196	0 (+.008/-0.004)	7,597	7,597
TF020375010000	TI FLAT 6AL-4V ELI 0.375X1	168 T(+/-0.006);W(+/-0.009)	68	68
TF020375012500	Ti Flat 6Al-4V ELI 0.375x1.25	168 T(+/-0.006); W(+/-0.011)	651	0
TF020375012500	Ti Flat 6Al-4V ELI 0.375x1.25	168 T(+/-0.006);W(+/-0.011)	3,369	0
TP0106250	TI PLATE 6AL-4V 0.625	44	98	98
TP0110000	TI PLATE 6AL-4V 1	76	515	0
TP0110000	TI PLATE 6AL-4V 1	80	655	0
TP0110000	TI PLATE 6AL-4V 1	84	570	0
TP0201875	TI PLATE 6AL-4V ELI 0.1875	95	110	110
TP0201875	TI PLATE 6AL-4V ELI 0.1875	132	102	102
TP0201875	TI PLATE 6AL-4V ELI 0.1875	144	505	505
TP020187513000	TI PLATE 6AL-4V ELI 0.1875x1.3	80	248	248
TP0202500	Ti Plate 6Al-4V ELI 0.25	12	26	26
TP0202500	Ti Plate 6Al-4V ELI 0.25	25	38	38
TP0202500	Ti Plate 6Al-4V ELI 0.25	107	20	20
TP0202500	Ti Plate 6Al-4V ELI 0.25	130	15	15
TP020250012500	Ti PLATE 6AL-4V ELI 0.25x1.25	107	242	1
TP020250013000	TI PLATE 6AL-4V ELI 0.25x1.3	102	32	32
TP020250013000	TI PLATE 6AL-4V ELI 0.25x1.3	105	77	73
TP0203125	TI PLATE 6AL-4V ELI 0.3125	79	92	92
TP0203125	TI PLATE 6AL-4V ELI 0.3125	160	2,102	2,102
TP020312505900	TI PLATE 6AL-4V ELI 0.3125 x 0.59	80	194	194
TP0203750	TI PLATE 6AL-4V ELI 0.375	26	78	78

TP0203750	TI PLATE 6AL-4V ELI 0.375	30	97	97
TP0203750	TI PLATE 6AL-4V ELI 0.375	48	52	52
TP0203750	TI PLATE 6AL-4V ELI 0.375	80	140	140
TP0203750	TI PLATE 6AL-4V ELI 0.375	82	176	176
TP0203750	TI PLATE 6AL-4V ELI 0.375	124	510	510
TP0203750	TI PLATE 6AL-4V ELI 0.375	139	108	108
TP0203750	TI PLATE 6AL-4V ELI 0.375	143	364	364
TP0203750	TI PLATE 6AL-4V ELI 0.375	160	1,467	1,467
TP020375012000	TI PLATE 6AL-4V ELI 0.375X1.2	49	7	7
TP020375015000	Ti PLATE 6AL-4V ELI 0.375x1.5	72	14	14
TP0205000	TI PLATE 6AL-4V ELI 0.5	2	18	18
TP0205000	TI PLATE 6AL-4V ELI 0.5	35	125	125
TP0205000	TI PLATE 6AL-4V ELI 0.5	115	91	91
TP020500010000	Ti PLATE 6AL-4V ELI 0.5x1	80	75	75
TP020500012500	Ti PLATE 6AL-4V ELI 0.5x1.25	80	311	0
TP0206250	TI PLATE 6AL-4V ELI 0.625	23	65	65
TP0206250	TI PLATE 6AL-4V ELI 0.625	24	62	62
TP0206250	TI PLATE 6AL-4V ELI 0.625	71	54	54
TP0206250	TI PLATE 6AL-4V ELI 0.625	80	1,685	105
TP0206250	TI PLATE 6AL-4V ELI 0.625	160	768	0
TP020625010000	Ti PLATE 6AL-4V ELI 0.625x1	27	6	6
TP020625010000	Ti PLATE 6AL-4V ELI 0.625x1	80	8	8
TP020625015000	TI PLATE 6AL-4V ELI 0.625x1.5	60	212	212
TP020625040000	TI PLATE 6AL-4V ELI 0.625X4	61	26	26
TP020750012500	Ti PLATE 6AL-4V ELI 0.75x1.25	6	74	74
TP020750012500	Ti PLATE 6AL-4V ELI 0.75x1.25	144	23	23
TP020750040000	TI PLATE 6AL-4V ELI 0.75X4	123	62	62
TP0210000	Ti Plate 6Al-4V ELI 1	144	43	43
TP021000017500	TI PLATE 6AL-4V ELI 1x1.75	39	24	24
TP021000017500	TI PLATE 6AL-4V ELI 1x1.75	40	24	24
TP021000017500	TI PLATE 6AL-4V ELI 1x1.75	128	38	38
TP0212500	Ti PLATE 6AL-4V ELI 1.25	80	440	440
TP040375012500	Ti PLATE CP1 Gr 4 0.375x1.25	78	6	6
TP040500012500	TI PLATE CP1 Gr 4 0.5X1.25	72	22	22
TP040500015000	TI PLATE CP1 Gr 4 0.5X1.5	91	200	200
TP0407500	TI PLATE CP1 GR 4 0.75	72	94	94
TP0603750	TI PLATE CP3 GR 2 0.375	13	200	11
TP0603750	TI PLATE CP3 GR 2 0.375	31	108	108
TP0603750	TI PLATE CP3 GR 2 0.375	96	30	30
TP0603750	TI PLATE CP3 GR 2 0.375	128	411	411
TP0605000	TI PLATE CP3 Gr 2 0.5	17	1,174	0
TP0605000	TI PLATE CP3 Gr 2 0.5	72	47	47
TP0606250	TI PLATE CP3 GR 2 0.625	119	39	39
TP0702500	Ti PLATE CP4 Gr 1 0.25	60	16	16
TP0702500	Ti PLATE CP4 Gr 1 0.25	67	20	20
TP070250020000	TI PLATE CP4 GR 1 0.25x2	72	72	72
TP0705000	TI PLATE CP4 Gr 1 0.5	105	136	136
TR0201250	TI RD BAR 6AL-4V ELI 0.125	168 (+/- .00015)	517	517
TR0201250	TI RD BAR 6AL-4V ELI 0.125	168 (+/- .0002)	63	63
TR0201875	TI RD BAR 6AL-4V ELI 0.1875	168 (+/- .00015)	209	209

TR0201875	TI RD BAR 6Al-4V ELI 0.1875	168 (+/-0.0005)	617	617
TR0202188	TI RD BAR 6Al-4V ELI 0.2188	168 (+/-0.0005)	398	398
TR0202500	Ti Rd Bar 6Al-4V ELI 0.25	168 (+/-0.0002)	414	24
TR0202500	Ti Rd Bar 6Al-4V ELI 0.25	168 (+/-0.0005)	82	82
TR0202500	Ti Rd Bar 6Al-4V ELI 0.25	168 (+/-0.0005)	1,185	1,180
TR0202500	Ti Rd Bar 6Al-4V ELI 0.25	168 (+/-0.0005)	1,204	1,204
TR0203125	Ti Rd Bar 6Al-4V ELI 0.3125	168 (+/-0.0002)	784	784
TR0203125	Ti Rd Bar 6Al-4V ELI 0.3125	168 (+/-0.0005)	471	471
TR0203750	Ti Rd Bar 6Al-4V ELI 0.375	168 (+/-0.0002)	348	348
TR0204375	TI RD BAR 6Al-4V ELI 0.4375	168 (+/-0.0005)	1,977	1,977
TR0204780	Ti RD BAR 6Al-4V ELI 0.478	168 (+/-0.0005)	313	313
TR0205000	Ti Rd Bar 6Al-4V ELI 0.5	168 (+/-0.0005)	1,384	1,182
TR0206250	Ti Rd Bar 6Al-4V ELI 0.625	168 (+/-0.0005)	222	222
TR0207500	Ti Rd Bar 6Al-4V ELI 0.75	168 (+/-0.0005)	77	77
TR0207500	Ti Rd Bar 6Al-4V ELI 0.75	168 (+/-0.001)	870	870
TR0208750	Ti Rd Bar 6Al-4V ELI 0.875	168 (+/-0.001)	82	82
TR0210000	TI RD BAR 6Al-4V ELI 1	168 (+/-0.001)	72	0
TR0210000	TI RD BAR 6Al-4V ELI 1	168 (+/-0.002)	1,591	1,591
TR0212500	Ti Rd Bar 6Al-4V ELI 1.25	168 (+/-0.001)	767	767
TR0212500	Ti Rd Bar 6Al-4V ELI 1.25	168 (+/-0.002)	1,278	90
TR0220000	TI RD BAR 6Al-4V ELI 2	36 (+0.008/-0)	373	373
TR0220000	TI RD BAR 6Al-4V ELI 2	38 (+0.008/-0)	39	39
TR0220000	TI RD BAR 6Al-4V ELI 2	40 (+0.008/-0)	524	524
TR0225000	TI RD BAR 6Al-4V ELI 2.5	109 (+0.008/-0)	86	86
TR0225000	TI RD BAR 6Al-4V ELI 2.5	156 (+0.008/-0)	374	374
TR0227500	Ti RD BAR 6Al-4V ELI 2.75	48 (+0.008/-0)	2,447	2,447
TR0606250	TI RD BAR CP3 GR 2 0.625	168 (+/-0.0005)	337	337
TS0201250	Ti Sheet 6Al-4V ELI 0.125	96	425	425
TS0201250	Ti Sheet 6Al-4V ELI 0.125	96 Not Listed	45	45
Total			217,525	152,929